



## IPTCI Bearing Business LLC



22344 CCK/C2W33 Bearing 2D drawings and 3D CAD models

8.661 Inch | 220 Millimeter x 18.11 Inch | 460 Millimeter x 5.709 Inch | 145 Millimeter SKF 22344 CCK/C2W33 Spherical Roller Bearings

Bearing No. 22344 CCK/C2W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	117.81
EAN	7316577032959
Product Group	B04311
Internal Clearance	C2-Snug
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH2344 (Specify bore)
Withdrawal Nut	HM48T
Inch - Metric	Metric
Long Description	220MM Tapered Bore; 460MM Outside Diameter; 145MM Width; C2-Snug Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part Nu



## IPTCI Bearing Business LLC

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	259.484
D	18.11 Inch   460 Millimeter
B	5.709 Inch   145 Millimeter
Adapter Part Number	SNW144 H2344 (Specify bore) Inch   H2344 (Specify bore) Millimeter
d	8.661 Inch   220 Millimeter
bore diameter:	220 mm
maximum rpm:	1400 RPM
outside diameter:	460 mm
operating temperature range:	Maximum of +390 ° F
overall width:	145 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C2
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	145 mm



## IPTCI Bearing Business LLC

dynamic load capacity:	2700 kN
fillet radius:	4 mm
static load capacity:	3450 kN
series:	223