



IPTCI Bearing Business LLC



23064 CCK/C4W33 Bearing 2D drawings and 3D CAD models

12.598 Inch | 320 Millimeter x 18.898 Inch | 480 Millimeter x 4.764 Inch | 121 Millimeter SKF 23064 CCK/C4W33 Spherical Roller Bearings

Bearing No. 23064 CCK/C4W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	80.072
EAN	7316577034113
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3064 AOH3064 (Specify bore)
Withdrawal Nut	HML69T
Inch - Metric	Metric
Long Description	320MM Tapered Bore; 480MM Outside Diameter; 121MM Width; C4-Extra Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable;



IPTCI Bearing Business LLC

	Adapter
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	198.416
d	12.598 Inch 320 Millimeter
D	18.898 Inch 480 Millimeter
B	4.764 Inch 121 Millimeter
Adapter Part Number	SNP3064 H3064 (Specify bore) Inch H3064 (Specify bore) Millimeter
bore diameter:	320 mm
maximum rpm:	1400 RPM
outside diameter:	480 mm
operating temperature range:	Maximum of +390 ° F
overall width:	121 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



IPTCI Bearing Business LLC

outer ring width:	121 mm
dynamic load capacity:	2240 kN
fillet radius:	3 mm
static load capacity:	3800 kN
series:	230