



IPTCI Bearing Business LLC



239/500 CAK/C4W33 Bearing 2D drawings and 3D CAD models

19.685 Inch | 500 Millimeter x 26.378 Inch | 670 Millimeter x 5.039 Inch | 128 Millimeter SKF 239/500 CAK/C4W33 Spherical Roller Bearings

Bearing No. 239/500 CAK/C4W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	163.85
EAN	7316577049858
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Adapter Part Number - Millimeter	H39/500 (Specify bore)
Withdrawal Sleeve	AH39/500 (Specify bore)
Withdrawal Nut	HMLL104
Inch - Metric	Metric
Long Description	500MM Tapered Bore; 670MM Outside Diameter; 128MM Width; C4-Extra Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material;



IPTCI Bearing Business LLC

	Open Enclosure; Relubricatable; Adapter
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	360.896
d	19.685 Inch 500 Millimeter
B	5.039 Inch 128 Millimeter
D	26.378 Inch 670 Millimeter
bore diameter:	500 mm
maximum rpm:	950 RPM
outside diameter:	670 mm
operating temperature range:	Maximum of +390 ° F
overall width:	128 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	128 mm
dynamic load capacity:	2900 kN



IPTCI Bearing Business LLC

fillet radius:	4 mm
static load capacity:	6000 kN
series:	239